

## AE-MW1203 10.1-inch VGA Touchscreen



- Stable performance, meet the requirements of vehicle products
- Supports 1-ch video inputs: VGA
- Supports parameter settings: brightness, contrast, chromaticity, parameter reset, etc.
- Supports bracket mounting methods, convenient and flexible
- Supports touch function(RS485 interface)


## Specification

AE-MW1203 10.1-inch VGA Touchscreen	
Screen Size	10.1-inch Capacitive touch screen
Display Resolution	1024 × 600
Brightness	250-400cd/m <sup>2</sup> , adjustable
Backlight	LED
Viewing Angle	140°
Video Input	VGA (800 × 600, 1024 × 768, 1280 × 720, 1920 × 1080; 60Hz)
Communication Interface	1 RS485 (for touch function, connecting to MVR)
Working Voltage	DC12V±5%
Power Consumption	≤10W
Operation mode	Key (on the front panel)
Language	English(default), Chinese, German, French, Spanish, Portuguese, Italian, Dutch, Russian
Working Temperature	-20°C~+60°C (-4°F~140°F)
Working humidity	10%~80%
Dimension	280.7mm × 72.8mm × 185.7mm(110.5inch × 28.7inch × 73.1inch)
Installation Method	Bracket

## Available Model


AE-MW1203(O-NEU)(10"/VGA/M/(Bracket))

## Dimension



unit: mm

**Cable Description**



**Cable Interface Description**

No.	Definition	No.	Definition
1	VGA_R	8	RS485-
2	GND	9	DC12V
3	VGA_G	10	GND
4	RS485+	11	GND
5	VGA_HS	12	NC
6	VGA_VS	13	NC
7	VGA_B		

**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision\_Global



Hikvision  
Corporate Channel



hikvisionhq