

iDS-7204HUHI-M1/S



- 4 channels and 1 HDD 1U AcuSense DVR
- False alarm reduction by human and vehicle target classification based on deep learning
- Efficient H.265 pro+ compression technology
- Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps
- 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP)
- Up to 8 network cameras can be connected.



▪ Specification

Model		iDS-7204HUHI-M1/S
Recording	Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
	Encoding Resolution	Main stream: 8 MP@8 fps/5 MP@12 fps/4 MP@15 fps/8 MP Lite@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) *: 8 MP@8 fps is only available for channel 1, 8 MP Lite is only available for channel 2 to channel 4. Sub-stream: WD1/4CIF/CIF@25 fps (P)/30 fps (N)
	Video Bitrate	32 Kbps to 10 Mbps
	Dual-stream	Support
	Stream Type	Video, Video & Audio
	Audio Compression	G.711u
	Audio Bitrate	64 Kbps
Video and Audio	IP Video Input	2-ch (up to 6-ch) Up to 8 MP resolution Enhanced IP mode on: 4-ch (up to 8-ch), each up to 4 Mbps Support H.265+/H.265/H.264+/H.264 IP cameras
	Analog Video Input	4-ch;BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection
	HDMI Output	HDMI: 1-ch, 2K (2560 × 1440)/60Hz, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz VGA: 1-ch, 1920 × 1080/60Hz, 1280 × 1024/60Hz, 1280 × 720/60Hz, 1024 × 768/60Hz HDMI/VGA simultaneous output
	CVBS Input	PAL/NTSC
	CVBS Output	1-ch, BNC (1.0 Vp-p, 75 Ω), resolution: PAL: 704 × 576, NTSC: 704 × 480
	Synchronous	4-ch

	playback	
	HDTV Input	8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p@25 fps, 720p@60 fps, 720p@50 fps, 720p@30 fps, 720p@25 fps *: The 8 MP signal input is only available for channel 1.
	AHD Input	5 MP, 4 MP, 1080p@25 fps, 1080p@30 fps, 720p@25 fps, 720p@30 fps
	HDCVI Input	4 MP, 1080p@25 fps, 1080p@30 fps, 720p@25 fps, 720p@30 fps
	Audio Output	1-ch, RCA (Linear, 1 K Ω)
	Audio Input	1-ch, RCA (2.0 Vp-p, 1 K Ω)
	Two-Way Audio	1-ch, RCA (2.0 Vp-p, 1 K Ω) (using the first audio input)
	Network	Network Protocol
Remote Connection		32
Network Interface		1, RJ45 10M/100M self-adaptive Ethernet interface
Auxiliary Interface	SATA	1 SATA interface
	Capacity	Up to 10 TB capacity for each disk
	Serial Interface	RS-485 (half-duplex)
	USB Interface	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0
	Alarm In/Out	N/A
General	Power Supply	12 VDC
	Consumption	≤ 10 W
	Working Temperature	-10 °C to +55 °C (+14 °F to +131 °F)
	Working Humidity	10% to 90%
	Dimension (W × D × H)	315 × 242 × 45 mm (12.4 × 9.5 × 1.8 inch)
	Weight	≤ 1.16 kg (2.6 lb)

▪ Available Model

iDS-7204HUHI-M1/S(标配),iDS-7204HUHI-M1/S(中性),iDS-7204HUHI-M1/S(巴西标配),iDS-7204HUHI-M1/S(俄分标配)/4音频+4/1报警,作废,iDS-7204HUHI-M1/S(标配)/泰国TCT,iDS-7204HUHI-M1/S(标配)/4音频+4/1报警,iDS-7204HUHI-M1/S(标配)/MENA/4音频,iDS-7204HUHI-M1/S(标配)/PT.PASIFIK,iDS-7204HUHI-M1/S(标配)(C),iDS-7204HUHI-M1/S(中性)(C),iDS-7204HUHI-M1/S(标配)(C)/4音频+4/1报警,iDS-7204HUHI-M1/S(标配)(C)按键(样机),iDS-7204HUHI-M1/S/A(欧分标配)(C)/4音频+4/1报警,iDS-7204HUHI-M1/S(俄分标配)(C)/4音频+4/1报警,



Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com