

## DS-MCW406



- 2688 × 1520 2K HD recording
- Max. 40M(8832 × 4968) resolution of the captured picture
- IR function to recognize the facial features in the captured picture even in dim environment
- Waterproof and dustproof, applicable to all-day field work

## ▪ Specification

Camera	
Image Sensor	1/3" CMOS
Max. Resolution	4MP
Day & Night	IR cut filter with auto switch (You can see human face within 3 m at night, You can see human body within 10m at night)
Flashing Light	Supported
Digital Zoom	4X
Video Stabilization	Not Supported
Lens	
FOV	Horizontal: 129° Vertical: 70° Diagonal: 140°
Video	
Video Compression	H.264, H.265
Main Stream	2688 × 1520@30fps, 1920 × 1080@30fps, 1280 × 720@30fps, 720 × 576@30fps
Audio	
Audio Compression	G.711alaw, G.711ulaw, G.722.1
Audio Bit Rate	8K, 16K
Image	
Image Format	JPEG
White Balance	Auto White Balance
Screen	
Screen Size	1.77" TFT
Resolution	128 × 160
Touchscreen	Not Supported
Storage	
Capacity	32 GB in standard, extendable to 256 GB
Network	
Protocol	Hikvision SDK
Wireless Network	
Bluetooth	Not Supported
Wi-Fi Protocol	802.11 b/g/n (only available for /Wi-Fi model)
Positioning Mode	GPS, Beidou, and mixed positioning (only available for /Wi-Fi model)
Interface	
USB	1, USB TYPE-C
Indicator	Charging indicator, working indicator
Button	On/off, Capture, Record, Tape, Up, Down, Menu, Enter
General	
Model	DS-MCW406
Operating System	Linux
Operating Condition	-20 °C to 55 °C (-4 °F to 131 °F)
Dimension	85 × 59 × 30 mm (3.35 × 2.32 × 1.18 inch)
Weight	125 g (without shoulder clip) (0.27 lb)

**Battery**

Capacity 2,500 mAh, 8h@2K recording, 12h @1080P recording, 14h@720P recording

▪ **Available Model**


DS-MCW406/32G/GPS/WIFI

DS-MCW406/32G

DS-MCW406/128G

DS-MCW406/128G/GPS/WIFI

▪ **Dimension**



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

