

DS-TVL121-9-5D/4

Three-way Indoor Parking Guidance Screen with 4 Numbers



- Support 7 colors: red, green, yellow, blue, purple, cyan, white;
- Icon screens can display following icons: ↑, ↓, ←, →, ▷, ▷, ▷, Family, Disabled, Charging, Pregnant, Female, Male, ○, ×, F, N, and also reserve 10 spare icons for usage extension;
- Digit screens' display ranges vary from type to type, and each numerical digit can display the number from 0 to 9;
- Equipped with standard RS485/RJ45 communication mode




Specification

| Display Screen | |
|-------------------------------------|--|
| Screen Type | Three-way indoor parking screen with 4 characters |
| Pixel Pitch | 7mm & 8mm |
| Viewing Angle | 110° |
| Luminance | 3800cd/m ² |
| Scanning Mode | 1/16 A Model Scanning |
| Display Color | red, green, yellow, blue, purple, cyan, white |
| Display Icon | \uparrow , \downarrow , \leftarrow , \rightarrow , \land , \nearrow , \lor , \lor , Family, Disabled, Charging, Pregnant, Female, Male, \bigcirc , \times , F, N |
| Communication Mode | RJ45 |
| Screen Dimensions (W × H × D) | 2016.5mm*226mm*88.5mm |
| General | 2010.511111 22011111 66.5111111 |
| | AC100V~AC240V |
| Power Supply | |
| Working Consumption | 14W |
| Max. Consumption | 47W |
| Working Temperature and Humidity | -20°C ~ +50°C |
| Storage Temperature and Humidity | -30°C ~ +60°C |
| Package Size | 2090mm*350mm*150mm |
| Weight | 14.5kg |
| Gross Weight | 19kg |
| Lifespan | ≥20000 hour |

Available Model

DS-TVL121-9-5D/4

Dimension







Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





