

Advantages of Thermal Cameras for Fire Detection



Early detection and warning



Temperatures visualized



Support for flexible rules & alarms

Intelligent Fire Safety Alerts

Leaving a burning or smoldering fire unattended can be really dangerous, in residential, commercial, or industrial environments. Such occasions include kitchens with open fires, workshops with soldering irons, and more. Bi-spectrum HeatPro Series Thermal Cameras automatically identify risks on these occasions. Their visible light sensor detects the presence of a person in the environment. If no one is present and fire or an abnormal temperature is detected by the thermal lens, the camera will trigger the fire alarm.



Application Scenarios



Villas/Communities



Office Buildings




Construction Sites



Parking Lots



Groceries



Warehouses

Product Showcase

- Resolution: 160 x 120 for thermal; 4 MP for visible light
- VCA: Line crossing, intrusion
- Temperature accuracy: ±8° C
- Temperature measurement range: -20 to 150° C
- Built-in strobe light and audio alarm (for the PA models)

Single-lens



Turret

DS-2TD1117-2/3/6 PA

Bullet

DS-2TD2117-3/6/10 PA

Bi-spectrum



DS-2TD1217-2/3/6 QA
[Available soon]
DS-2TD1217-2/3/6 PA

DS-2TD2617-3/6/10 QA
[Available soon]
DS-2TD2617-3/6/10 PA

Dedicated to bringing professional protection solutions to the mass market, Hikvision's HeatPro Series Thermal Cameras provide perimeter protection with unparalleled accuracy, and fire detection with superlative sensitivity. The cameras hit the target for cost and performance in a variety of residential, commercial and industrial applications.

HIKVISION

Follow us on social media to get the latest product and solution information

- HikvisionHQ
- Hikvision
- HikvisionHQ
- Hikvision_Global
- hikvisionhq
- Hikvision Corporate Channel



www.hikvision.com

HeatPro

Hikvision HeatPro Series Thermal Cameras Professional Protection Made Simple

Designed for any light

Sees the unseen

Radically reduces false alarms



HIKVISION

Better Target Identification

Human and vehicle targets are accurately distinguished and classified.



Separation of Humans and Vehicles

Conventional cameras may fail to detect the overlapping of human and vehicle targets. But Hikvision's HeatPro Series Thermal Cameras, supporting human and vehicle classification, always distinguish human and vehicle targets so that users respond only to targets of real concern.



Detection of Grouping

When people gather into groups, HeatPro Series Thermal Cameras can still accurately identify each individual and classify them accurately.

Higher Agility and Adaptability

Targets are detected quickly, even in very challenging conditions.

Challenging Temperature Conditions

When exposed to high temperatures, background infrared radiation can be quite similar to that of the human or vehicle targets. HeatPro thermal cameras accurately distinguish targets from their background even with limited temperature-data differences.



Challenging Viewing Angles

HeatPro Series Thermal Cameras detect targets moving straight towards the camera with comparatively small perceivable displacements.



3-Step VCA Configuration

Simpler and faster deployment for SMB users with down to 30s setup time.




Demand-based Product Applications

HeatPro Series Thermal Cameras combine with Hikvision's various products to meet diverse needs of users.


Fundamental Protection

Connected to an NVR, HeatPro cameras provide highly-efficient security protection of places like villas, communities, and groceries.




Intrusion Verification

Linked with AX PRO Hub, HeatPro cameras capture real-time video clips to verify alarms whenever an intrusion event happens.



Large-scale Deployment

HeatPro cameras can be deployed on a large scale for more complex projects like chain stores and industrial parks, and managed in a centralized way.



Field Demonstrations

HeatPro Series Thermal Cameras have been tested at a number of demonstration sites, giving field-proven results of favorable, minimized false alarm rates.



Office Building Entrance



Parking Lot





Community



Villa

VCA Performance



Human or Vehicle VCA Detection Distance